

SELECTION GUIDE

COLLECTION "PB LINE"		FUNCTIONS																					
		ON/OFF AIR +/- AIR	INTERVAL AIR	VARIATION AIR	ON/OFF WATER	+/- WATER	INTERVAL WATER	VARIATION WATER	WATER HEATER	MASSAGE PROGR.	ZONING	TURBO (VENTURI)	SPOT	RGB SPOT	RGB LED	DISINFECTION	OZONE	RINSING (FLUSH)	DRYING	TEMPERATURE	INFO ON DISPLAY	WIRELESS CONTROL	
	SYSTEM																						
	2APM	•	•										•	•	•					•			○
	4EPM			•	•		•					•	•	•	•		•	•					○
From 1 to 8 buttons 		Several possibilities available																					
○ = option																							
Water level detection available with all systems																							
Customer configuration available upon request																							

PB 2APM



Stainless steel, gold plated, etc.
Possibility of symbol engraving

Available with following LED colours :



Code
LA5026112

Code
LA5226112

Code
LA5126112

Code
LA5326112

Code
LA5526112

2 Anti-vandal push button
Thickness after mounting 1 mm
Cable length 2000 mm. for connection
with PB interface control box
IP67 / ROHS

FEATURES

ON/OFF blower

Variation of blower flow (wave effect)

3 levels of blower speed

Up to 4 RGB Spot lights (chromotherapy)

Up to 60 RGB string or strip LEDs (chromotherapy)

Water level control

Automatic drying disinfection

On demand drying disinfection

Components (required)

Controller Profimax SASS4S

Code VPF14052S1

Push button

Code : see above

Water level sensor TLS1 RJ

Code 0010137620

Options

Spot Chromo RGB 5V *

Code VPF10031xx

RGB LEDs string *

Code VPF14053xx

Plastic housing 23 *

Code BOBPLUxx

RGB LEDs strip *

Code LASTRINGxx



PB 4EPM



Stainless steel, gold plated, etc.
Possibility of symbol engraving

Available with following LED colours :



Code
LA5026112



Code
LA5226112



Code
LA5126112



Code
LA5326112



Code
LA5526112

3 Anti-vandal push button
Thickness after mounting 1 mm
Cable length 2000 mm. for connection
with controller Profibox
IP67 / ROHS

FEATURES

ON/OFF pump

Interval / Venturi

Ozone

Water heater

Up to 4 RGB Spot lights (chromotherapy)

Up to 60 RGB string or strip LEDs (chromotherapy)

Water level control

Automatic rinsing disinfection

On demand rinsing disinfection

Components (required)

Controller Profimax PB

Code VPF1405201

Push button

Code : see above

Water level sensor TLS1 RJ

Code 0010137620

Options

* Multiple choices
See related pages

Spot Chromo RGB 5V

Code VPF10031xx

RGB LEDs string

Code VPF14053xx

Plastic housing 23

Code BOBPLUxx

RGB LEDs strip

Code LASTRINGxx

